

LAWSONS

'Family Values - Professional Service'



 **PAVESTONE**
Home Landscaping




 **PAVESTONE**

Natural Beauty. Handmade Elegance.

Welcome to the new 2016 Pavestone hard landscaping products brochure, which has been designed to both inspire you in finding the perfect materials for your project and also to offer you the practical information needed to make an informed choice.

The Pavestone brand has always been synonymous with both quality and value for money. Our 2016 collection of home flooring and garden landscaping materials have been specifically selected to ensure that you will be able to find exactly the right colours, textures and materials to realise your dream project.

To assist in the design stage, once a paving has been selected we have included some technical detail (Pages 98 – 108). Here you can find a quick reference covering all our products for colour, dimensions, coverage etc. More technical data and laying patterns are available to download from our website www.pavestone.co.uk





Contents

INSPIRATION

Natural Stone Paving	5
Porcelain Paving	50
Decorative Concrete Paving	54
Block Paving	74
Walling	80

THE DETAIL

Natural Stone Paving	98
Porcelain Paving	107
Decorative Concrete Paving	102
Walling	105
Block Paving	106
Protectors and Cleaners	90
Jointing Compound	92
General Information	109

Your project represents a considerable investment and should endure many years of seasonal change, so it is therefore very important to consider the quality of stone to be used. There are many cheap blends of natural stone materials available that may not stand the test of time. Pavestone landscaping products are never engineered to meet the lowest possible price. Instead our commitment is to always produce quality products with consistent aesthetics, dimensional quality and a lasting durability for a fair price.

Pavestone natural stone materials are procured only from audited source partners that have been working with us for over a decade to establish ethical supply chains (see page 95). Pavestone concrete products are manufactured using electricity supplied only from sustainable and renewable resources (see page 94).



Pavestone concrete products are manufactured using 100% electricity supplied from Renewable Resources via generation which is Climate Change Levy exempt.



Pavestone has adopted the ETI Base Code as a platform for the procurement and distribution of our natural stone products. See pages 95 & 96 for more information.



BREEAM addresses wide-ranging environmental and sustainability issues, enabling us to prove the environmental credentials of our building products.



Pavestone's commitment to sustainability is reinforced by our ISO 14001:2004 Environmental Management Systems.



Pavestone reconstituted stone paving and walling have been awarded the Carbon Trust Standard, a mark of excellence awarded in recognition of measuring, monitoring and ongoing reduction of carbon emissions.

Contemporary...



Walling



Moodul Walling	85
Slate Stack	88

Paving: natural stone



Regal	6
French Cremar	10
Piazza	12
Fiorano	14

Paving: concrete



Manhattan	56
Kera Linea	58
Sable	60
Provencal	62

Paving: porcelain



Crosswood	50
Dolomite	52
Al Fresco	53
Simply Porcelain	53



...or traditional?

the Pavestone Collection offers an exceptional range of landscaping products to satisfy all tastes.

Paving: concrete



Tanners Mill	64
Garonne Abbey	64
Fairford	66
Circles	73

Block Paving



Pavesett	74
Cobblesett	77
Slimsett	78

Paving: natural stone



Tudor Antique	16
Sandstone	24
Slate	34
Limestone	36

Walling



Cottage Walling	82
Dry Fell Walling	83
Burford Walling	86

Block Paving, Setts & Pavers



Tudor Cobble	42
Stone Setts	44
Rumbled Pavers	46
Block Paving	48

Choosing a paving

When it comes to choosing paving, it is important to understand the correlation between the cost of your chosen paving and the final cost of your landscaping project.

Typically, the cost of the paving will be approximately 20% or less of the total project cost and around 80%, will be the cost of laying - labour, cement and sub base materials.

So, buying a more expensive, better quality paving, will not significantly increase costs.

In fact, spending 50% more on your paving may only result in an increase of just 10% to the total project cost!



“It takes me the same time to lay a patio, whether it’s premium natural stone or a cheaper utility paving”





Natural Stone Paving

Regal	6
French Cremar	10
Piazza	12
Fiorano	14
Tudor Antique	16
Classic Sandstone	24
Slate	34
Limestone	36
Circle Features	38
Tudor Cobble	42
Stone Setts	44
Rumbled Pavers	46
Natural Stone Block Paving	48



Outdoors



Indoors

Many of the Pavestone paving products featured in our brochure have been designed to be used both outdoors as a patio paving and indoors as a floor tile. To help with your selection, we have marked products with a symbol which will quickly identify whether it is suitable for outdoors only, indoors or both! All paving marked with the 'Indoors' symbol can be laid in conjunction with underfloor heating.

Our quality natural stone is sourced from around the globe for its colour, texture and character to create the definitive Pavestone range. It is synonymous with quality and is sourced only from responsible quarry owners who can prove a high regard for the welfare of their workers.

We are committed to improving the conditions in our suppliers' work places and in doing so the quality of the lives of our fellow workers, around the world, who produce our products.



See **page 98**
for full technical information

Regal

Stylish, top quality sandstone paving with a honed silky smooth flat surface.

Regal Oasis and Summit have crisp, straight edges that can be close jointed and are ideal for creating contemporary garden settings.

Summit Rustic has chiselled edges to facilitate the rustic feel often sought for traditional gardens.



Summit Rustic

Shades



Regal Oasis



Regal Summit

Shade



Summit Rustic

Regal Oasis & Fossil Setts



Bullnose Steps & Edging



Shotblasted surface, in Summit & York
- see page 108 for full specification



See [page 98](#)
for full technical information



Regal Summit

French Cremar

Charismatic cream and yellow shades decorate the smooth flat face of this contemporary paving. Sawn edges allow for close jointing making it an ideal flooring for patio furniture.

French Cremar paving can also be used as indoor flooring making a seamless transition from the garden into the home. Ideal for under-floor heating systems.

Shade



Cremar



See **page 98**
for full technical information





Piazza

Piazza is a modern contemporary paving designed to create a fresh, clean looking patio. It offers the same colours and format as the Regal Silk range but has a lightly textured finish to give flat non-slip surface.

Shades



Oasis



Summit



See **page 98**
for full technical information



Summit



Oasis





Elite

Fiorano

A stylish modern natural stone paving, machined with straight edges for close jointing to create magnificent contemporary areas. The delicately textured surface provides practical slip resistance.

Shades



Esprit



Elite



See **page 98**
for full technical information





Cathedral, with Ironstone Burford walling

Tudor Antique

Hand crafted natural stone recreating the appeal of time-worn flagstones from previous centuries. Created to blend sympathetically with older properties and gardens where the design seeks to provide an established feel. Tudor Antique paving can also be used to great effect as an indoor flooring material.





**Mill Yorkstone
Edging**

see page 103





Priory


Shades



Priory



Gothic



Oxford



Denby



Deanery



Cloister



Chapel



Cathedral




Tithe



Cambridge



Reformation



Chapel



Oxford



See **page 99**
for full technical information



See [page 99](#)
for full technical information





Cambridge



Classic Sandstone

Part of the character of sandstone paving is that no two stones are coloured the same; however, when combined they create a rich tapestry of colour to make a beautiful overall hue.

Seasonal changes can often bring a differing perspective to the reflected colours of the stone. In strong summer sunlight a sandstone patio will appear to have less colour variation, whilst after rain the colours will be of deep patina.



Shade



Original Raj Green



See **page 100**
for full technical information

Original Raj Green Sandstone.

Our 'Original Raj Green' is the authentic green tinged paving of India and can be found in and around many Indian Palaces. In the past, it was favoured by the royal rulers of India because it was thought to resemble garden lawns. Today, Pavestone has selected it for its consistent, beautiful greeny/brown colouration.









Golden Fossil



Light Grey

Shades



Raj Blend



Light Grey



Modak



Buff



Golden Fossil



Heather Blend



Old Black



Sahara



See **page 100**
for full technical information



Modak



Heather Blend



See **page 100**
for full technical information



Natural Stone Edging

see page 105



Golden Fossil



Raj Blend



See **page 100**
for full technical information




Sahara



Light Grey

Choice of attractive circle designs available.
See **page 40**





Old Black



See **page 100**
for full technical information



Modak



Rusty

Slate

Pavestone Slate fully captures the timeless beauty and character of a bygone age.

Its lightly riven surface makes it an ideal base for garden furniture. The deep blue/black colour tones found in Midnight Slate or the wonderfully vibrant gold and bronzes of our Rusty Slate provides a magical intrigue.

Shades



Rusty



Midnight



See **page 99**
for full technical information



Rusty

Midnight

Limestone

Limestone is an attractive and very durable paving which has a softer appearance than sandstone and features a variable, soft-riven, textured finish.

Pavestone offers three colours, which will complement classic and contemporary gardens alike.



Kota Blue

Shades



Abbey




Kota Blue



Black Kadapha



See **page 99**
for full technical information



Black Kadapha, sealed



Abbey



Circle Features

Circle Features can be used to create focal points within a paved area and are often used to denote a seated area for relaxation or entertaining.

Sandstone Circles

Shades



Buff



Raj Blend



Golden Fossil




Modak



*Oxford**

Circle Kit Sizes



* Available only as 2400mm diameter circle with 2700mm squaring off kit.
Ø = diameter



See **page 104**
for full technical information



Catherine Wheel

These stunning sandstone features are hand crafted from Raj Blend stone and can be used to create interesting focal points within your patio area.

Sandstone Feature Circles

Shade



Raj Blend


Circle Kit Sizes

2700 x 2700



2400 Ø

2700 x 2700



Sun Circle



Mystic Feature

Slate Circles

Hand crafted by stonemasons, these intriguing art deco slate and traditional circle designs create a wonderful focal point, either as stand alone features or incorporated into a slate patio.

Shades




Rusty



Midnight

Circle Kit Sizes



Ø = diameter



See **page 105**
for full technical information



Standard in Rusty



Denby



Priory



Oxford, after a shower



Tudor Cobble

Tudor Cobbles complement perfectly the Tudor Antique paving range and are particularly suitable for paving courtyards and terraces where a smaller size paving creates a better aspect ratio.

Because these hand crafted cobbles are extremely durable, they are also ideal for creating stunning driveways, often designed to run seamlessly into a Tudor Antique paved area.



Cambridge

Shades



Priory



Oxford



Denby



Cambridge



Reformation



See **page 100**
for full technical information

Stone Setts

Natural Stone Setts are ideal for creating winding and undulating pathways with rustic charm through the garden. Setts can also provide an attractive border to patio paving or driveways, adding contrast and a rustic look to a paved area.

Shades



Fossil



Raj Blend



Rusty Slate



Midnight Slate



Grey Granite



Black Granite

Fossil



See **page 101**
for full technical information



Raj Blend & Rusty Slate

Rumbled Pavers

Pavers are thinner than Stone Setts and look like small paving slabs. They have been rumbled to create a time worn effect and are predominantly used as pathways or border edgings. The rich colours of these Pavers are often used to contrast large uniformly paved areas.



Modak



Lakeland

Shades



Modak



Barleycorn



Harvest Blend



Lakeland, a mix of 3 colours



See **page 101**
for full technical information



Modak edged with Midnight Slate Setts & Cotswold Cottage Walling

Natural Stone Block Paving

Whether your home is modern or old, natural stone block paving offers the ultimate paving for your driveway that will last a lifetime.

A beautiful rich tapestry of natural stone with its varying hues and textures ensures your driveway will look unique.



Woodland

Shades



Woodland



Kadapha



Old York



Old Cotswold



Kadapha



See **page 101**
for full technical information



Kadapha




Old York





Porcelain Paving



Crosswood Cinder

Crosswood	50
Dolomite	52
Al Fresco	53
Simply Porcelain	53

Porcelain Paving is the latest in advanced paving solutions that combines Italian styling with robust, durable, vitrified technology. Pavestone has selected two variants of paving tiles, a wooden planking and a selection of natural stone paving tiles. Both variants are so realistic in colour, texture and feel that they defy the fact that they are man made.

Porcelain Paving is algae resistant, frost resistant and is the easiest paving to keep clean.

Crosswood

Strength and durability of porcelain meets the natural beauty and warmth of timber. The wood fibres alternate and blend with each other and, piece by piece, create unique compositions and colour contrasts.

Shades



Buff



Cinder



See **page 107**
for full technical information

Dolomite

With six vibrant stone colours and textures to choose from, the Dolomite porcelain large element paving range is inspired by some of the world's best examples of natural stone. A wide variety of face textures ensures a totally natural appearance.



Dark



Moon

Shades



Dark



Dust



Grey



Moon



Sunset



White



See **page 107**
for full technical information

Al Fresco and Simply Porcelain

Nature and vitrified technology meld together to produce these four stunning examples of natural stone simulates.

Simply Porcelain paving is smooth and hard wearing and features two consistent colour ways with easy to clean qualities.



Al Fresco Sun

Shades

Al Fresco



Grigia



Sun



Hazel



Mirum

Shades

Simply Porcelain



Beige



Anthracite



See **page 108**
for full technical information





Decorative Concrete Paving

Manhattan	56
Kera Linea	58
Sable	60
Provencal	62
Tanners Mill	64
Garonne Abbey	64
Fairford	66
Burford Duo	70
Circles & Features	72
Pavesett Block Paving	74
Pavesett Kerbstone	75
Cobblesett	77
Pavesett Slimsett Block Paving	78



Outdoors



Indoors

Many of the Pavestone paving products featured in our brochure have been designed to be used both outdoors as a patio paving and indoors as a floor tile. To help with your selection, we have marked products with a symbol which will quickly identify whether it is suitable for outdoors only, indoors or both! All paving marked with the 'Indoors' symbol can be laid in conjunction with underfloor heating.

The Pavestone range of decorative concrete paving has been designed to accommodate all budgets and design styles. If you're planning a traditional English garden landscape, then our Tanners Mill, Garonne Abbey or Fairford paving will offer many colours and laying patterns to choose from.

If you're wanting to create a bold, contemporary patio, then our designer state-of-the-art paving ranges - Manhattan and Kera Linea - with 'stay cleaner' properties, will surely be your choice.



Never use Rock Salt or De-Icing Salts on concrete paving. Salt corrodes and destroys all concrete through a chemical reaction and in addition will exaggerate the natural freeze thaw cycles that erode the surface of concrete.

Manhattan

Manhattan paving creates a fresh, clean, minimalist, contemporary feel in keeping with modern architecture or gardens.

Manhattan can be used internally to create a seamless transition of flooring from garden to kitchen or conservatory.

Benefiting from M-Coat® protection, means it's impervious to splashes and stains so your patio will stay looking clean for years!

Shades



Black



White



See **page 102**
for full technical information



White



Black



White

Looks great for 10 years...



...Guaranteed!

No more worrying about those wine spills or grease stains from your BBQ. Thanks to the unique coating, this amazing transparent protective layer repels dirt, oil as well as water. M-Coat also provides a smooth surface to the paving, which is resistant to the growth of algae and moss too, so your patio will look as good as new for years to come.

- ✓ Frost resistant
- ✓ Algae and moss resistant
- ✓ Efflorescence free
- ✓ Stain resistant
- ✓ Easier to clean

See **pages 90 & 109** for cleaning and maintenance.



Natural Beige

Kera Linea

This contemporary paving has warm tones of Pearl Grey and Natural Beige. It is complementary to natural elements in the garden, such as wood.

Kera Linea tiles also benefit from M-Coat® protection which will keep your patio looking clean for years.

Can be used internally to create a seamless transition of flooring from garden to kitchen or conservatory.

Shades



Natural Beige



Pearl Grey



See **page 102**
for full technical information



Sable

Beautiful paving that combines contemporary styling with a very practical non slip surface.

Sable Paving is extremely hardwearing too and will retain its good looks for many years.

Available in four distinct colours.

Shades



Apollo



Diana



Klio



Calisto



See **page 102**
for full technical information



Klio



Diana & Klio



Apollo

Provencal

A reproduction limestone paving flag with delicate natural face detailing and straight sawn edge appearance. This authentically reproduced smooth paving especially suits the contemporary garden design.

The limestone colouration provides a natural look which is complementary to modern garden designs and properties.

Shade



Crème



Crème



Crème



See **page 102**
for full technical information

See **page 72**





Crème



**Cobblestone
Edging**

see page 103



Grey-green

Tanners Mill and Garonne Abbey

An authentic reproduction of fine antique paving flags from a bygone time, this range emulates the characteristics of the Yorkshire paving flags that were being produced in the Victorian times.

The distinctive worn antique appearance and shades complement many period properties and these are perfect for use in any traditional English garden setting.



Cream



Shades Tanners Mill



Grey-green

Garonne Abbey



Cream



See **page 102**
for full technical information

Fairford

The classic weathered appearance and natural looks of Fairford Paving provides for a timeless patio which is suitable for relaxing or entertaining. The shallow riven profile provides an ideal base for your patio furniture ensuring that tables and chairs will sit firmly on the paving.



Grey (sealed)



Old Gold



Ropetop Edging

see page 103








Old Gold



Stone

Shades



Old Gold



Stone



Grey



Mill Yorkstone Edging

see page 103



See **page 103**
for full technical information

Burford Duo

Burford Duo paving is a very practical entry-level paving, ideal for utility areas where consideration to having a practical hard- standing area takes priority over a stylish paved area.

Maybe it is a place for the wheelie bin, coal or log storage, a greenhouse or shed base.

Burford Duo offers strength with economy and choice too. The paving face is reversible, riven on one side with a chamfered edge and smooth on the other. You simply choose which effect you wish to create.

Shades



Red



Grey



Cotswold

Swatches show the riven side.



See **page 103**
for full technical information



Cotswold Riven



Cotswold Smooth



Crème

Circles & Features

Reconstituted Paving Features can be used in many ways to create a truly stunning focal point in your garden.

The Circles are compatible with our Fairford Paving Range; they can be incorporated into a paved area to maybe highlight a barbecue or a rest and relaxation area.

Also, they can make a great stand-alone feature.

All products featured



Provencal Ellipse

Shade



Crème

Size



2250 x 3000



Fairford Circles

Shades




Old Gold

Stone

Grey


Size



2400 Ø

2700 x 2700

All Standard Circles come complete with squaring off kit but they can be used without it to create, either a 1500mm diameter circle (one ring) or a 2400mm diameter circle (two rings) stand-alone circle.



Grey



Grey & Gold

Solar Circle

Size



2600 Ø

3000 x 3000



Pavesett Block Paving

Timeless in appearance, the classic Pavestone rumbled block paving sett will deliver driveway aesthetics to complement all properties from a quaint thatched cottage to a modern town house.

Available in six shades and with rumbled edges, Pavesett Block Paving offers a distinctive rustic charm and warmth to your driveway.

Kerbstone



Charcoal Kerbstone

Shades



Sand



Autumn Brown



Ochre Grey



Brindle



Charcoal



Sunset Rouge



See **page 106**
for full technical information

Available in 3 size elements to allow for your preferred laying pattern using one, two or all three of the sizes.



Autumn Brown



Ochre Grey



Brindle

Cobblesett

Timeless paving cobbles, rustic in appearance and offered in three unique colour blends.

Cobblesett elevates and enhances paved areas to an unsurpassed level of strength, character and distinction!

Sunset Rouge



Oceania

Shades



Oceania



Harlequin



Sunset Rouge



See **page 106**
for full technical information

Slimsett Block Paving

Slimsett Block Paving recreates the cobbled street paving that can be found in many historic cities and towns around Europe.

The characteristics of this block facilitate the ability to create many attractive patterns, including sweeping curves on pathways.



Anthracite

Shades



Brindle



Camargue



Anthracite



Brindle



See **page 106**
for full technical information



Brindle

Laying Options



Basket Weave



Herring Bone



Stretcher Bond



Camargue

MINIMUM WATER ABSORPTION



Pavestone SlimSett block paving is manufactured using the latest science in water repellent technology.

The result is a paving block that won't absorb water and offers significant benefits over standard block paving:

- ✓ Durable & Colour fast
- ✓ Stain resistant
- ✓ Algae & moss resistant
- ✓ Efflorescence resistant
- ✓ Faster drying
- ✓ Low maintenance





PAVESTONE

Walling

Cottage Walling	82
Dry Fell Walling	83
Moodul Modular Walling	84
Burford Walling	86
Slate Stack Cladding	88
Copings and Pier Caps	89



Cottage Walling - York



Natural



Reconstituted

The Pavestone walling range consists of Natural Stone and Reconstituted (Manmade) Walling Stone products. Natural stone walling blocks tend to be irregular in shape and size which results in a rustic appearance to projects around older properties and in rural areas where natural stone is a feature of the landscape.

Reconstituted stone walling is manufactured using limestone from the Cotswolds. Whilst its irregular face and texture replicates natural stone, it benefits from having consistent dimensions helping to make construction as easy as using a standard brick.

Walling is fundamental in the creation of a perfect three-dimensional garden landscape and should be seen as so much more than a perimeter boundary. A primary use of walling is to effect changing levels to the vista, maybe by raising a patio or planted area.

Natural Stone Walling

Natural stone walling can be used to create beautiful features within a garden design and for perimeter walling.

The Pavestone ranges have been designed and hand crafted by our stonemasons to give a soft 'old world', rustic appearance.

Cottage Walling

Pavestone natural stone walling blocks are rumbled to give soft rounded edges, reproducing old building stone.

Shades




Cotswold



York



See **page 105**
for full technical information



Cottage Walling - Cotswold



Cottage Walling - York with Golden Fossil Sandstone paving



Dry Fell Walling - Fossil

Dry Fell Walling

Natural stone in uniform widths and lengths makes building a dry stone wall easy.

Shades



Fossil



Raj Blend

Stone Coping

Shades



Fossil

Raj Blend



Cottage Walling - York with Raj Blend Coping



See **page 105**
for full technical information

Moodul Walling

Moodul Walling is a new innovative walling system that makes building decorative garden walls and features so simple.

Modular in construction, contemporary in design the project possibilities are endless from 'garden kitchens' to planters. Stylish stainless steel accessories are also available to hang flower boxes, make shelves or even seating areas..



Grey with black coping

Shades



Grey



Black



Grey



See **page 107**
for full technical information



Black with grey banding



Black






Buff Black

Burford Walling

A realistic alternative to local stone at an affordable price, Burford reconstituted and tumbled stone walling makes building work easy.

Your finished project will look, feel and age just as natural stone but at a fraction of the cost.



Natural Light Weathered



See **page 105**
for full technical information

Shades



Buff Black



Buff Brown



Golden Buff




Grey



Ironstone



Lothian Red



*Natural Light
Weathered*



Oolite Cream



Yate Grey



Sandown Green



Slate Stack Cladding

Slate Stack cladding is a new and inexpensive way of transforming existing lacklustre brick walls into modern contemporary works of art.

Alternatively if you don't have the walls you need, then new walls can be constructed from economy concrete blocks and faced with the Slate Stack cladding to provide an impressive finish.

Shades



Rusty



Blue-black



See **page 107**
for full technical information



Rusty

Coping and Pier Caps

Add the finishing touches to your walling with Pavestone Copings and Pier Caps.



Off White



Cottage Walling - York with Raj Blend Coping

Shades



Off White



Cotswold



Stone Coping

Shades



Raj Blend

Fossil



See **page 105**
for full technical information

Taking care of your new patio or floor

Why not protect your investment? Lithofin is renowned in the industry for its scientifically advanced products that clean, protect and maintain natural stone. Pavestone has selected a specific range of Lithofin sealing and maintaining products that will ensure your patio keeps on looking fantastic year after year.

Protectors



Colour Intensifier

Enhances the colour structure of rough, absorbent natural stone and concrete paving. It intensifies the colour structure and protects effectively against water borne staining.



Stainstop

An easy to apply water based impregnator that ensures the ultimate protection against stains and facilitates everyday maintenance.

Cleaners

It is inevitable that at some time after having your patio installed, something will leave a nasty mark on your paving. Don't worry if it does as we are sure to have the just the right product to clean it.



BERO

For permanent removal of rust and rust discoloration, especially for ferrous hard stones, and for removal of cement film, grinding dust and so on.



Rust-EX

A non-acidic rust stain remover which eliminates rust stains and discoloration from natural stone and concrete paving.



Builders' Clean

Removes cement films, stubborn dirt residues, blooms, efflorescence, rust and rust discolorations. Also acts to prevent rust in hard stones containing iron.



Power Clean

Cleans general and greasy ground in dirt. Also for final cleaning of new walling and patios after the build process.



Outdoor Cleaner

Removes stubborn green/ dark stains caused by trees or flowers from all surfaces. Flagstones, pavers, walls, paths, etc. are immediately restored to their original colour.

Using the correct protector will keep your patio and walling looking magnificent and may well save time and money in cleaning products later on.

Professional pointing in 8 simple steps



Step 1

Open both packs and measure equal quantities of each.



Step 5

Compact firmly into joints using a jointing tool.



Step 2

Mix the 50/50 ratio until uniform in colour.



Step 6

Refill, if necessary, using a small soft hand brush.



Step 3

Sprinkle Pointfix mixture over the area to be pointed.




Step 7

Compact the surface to give it a clean flat finish.



Step 4

With a soft brush/broom, push Pointfix mixture into the gaps.



Step 8

Finally, brush off any excess, sit back and enjoy your patio!


PAVESTONE Pointfix

All Weather Epoxy Jointing Compound

Pavestone Pointfix is a superior two pack multi-use jointing and repair compound. One pack contains epoxy resin within the compound and the other epoxy hardener. Once thoroughly mixed the jointing compound cures to create a permanent hard jointing material.

There are no liquids or powders to measure and mix in, so mixing and applying Pavestone Pointfix is much cleaner and easier than traditional sand and cement mortar. Pavestone Pointfix is specifically designed for pointing and infilling between many types of surfaces including: concrete paving, natural stone paving, brickwork and stonework.

If it rains, or is forecast to rain, completing a traditional pointing project can become a major problem. Pavestone Pointfix eliminates this problem, because it can be applied even when the paving or blocks are wet and you can even carry on pointing when it rains.



and it's pet friendly!

Sustainability

Pavestone strives to minimise and continually reduce the adverse impacts of all our operations both in the immediate, local environment and throughout our supply chain globally. We also seek to contribute to the economic success of the communities in which we work and to provide a safe, secure working environment for both our employees and our supplier partners' employees.

Corporate Social Responsibility

Our Corporate Social Responsibility initiatives seek to make our businesses more accountable for our actions and decisions.

We are committed to full legal compliance in all that we do and to make our business accountable to those that we directly or indirectly impact upon through the adoption of good practices.

Practices include:

- Creating a safe environment and a rewarding career for all our employees.
- Holding regular local residents' open meetings to discuss our impact on their local life.
- Monitoring and managing the environmental impact of all our operations.
- Monitoring and understanding the environmental impact of our suppliers' operations.

"We work closely with local and national groups to develop an understanding of what to do and how we can positively contribute to economic, social and environmental well-being across all the areas where we have operations. We benchmark and evaluate all that we do in order that we might constantly improve!"

Kevin Fowler, Managing Director.

Environmental Policy

Pavestone recognises that it has an obligation to help protect the environment and the neighbourhoods in which we operate. This awareness is a fundamental part of the Pavestone business strategy. We will seek as far as is reasonably practicable to minimise the company's effects on the environment.

Main initiatives include:

- Ensuring that environmental issues are considered carefully at all levels when planning and conducting business activities and that our employees understand and act in accordance with our environmental aims.
- Working co-operatively with regulatory bodies including the Environment Agency and local authorities in addition to our industry trade association the Builders' Merchants Federation (BMF) so as to facilitate full awareness

and contribution to environmental legislation changes

- Managing our activities in line with best business practice to control the impact on the local community of noise, dust, light emissions and traffic movements.
- Annually reducing our energy consumption, water usage and waste production, and improving segregation for reuse / recycling.



Climate Change Policy

Pavestone was one of the first manufacturing companies to work with the Carbon Trust in order to measure our carbon output.

This knowledge helps us to create changes to our manufacturing and supply chain activities to reduce the amount of carbon we produce. In doing this we are able to demonstrate our progress and our positive contribution towards climate change.

Pavestone's manufacturing operations reduced its carbon emissions by an astounding 19.2% in 2011. This represents a total carbon emission reduction since implementation of the scheme some three years ago of in excess of 55%.

The Carbon Trust Standard is awarded only to organisations that measure, manage and reduce their carbon footprint and organisations that achieve the Standard are taking real action to reduce their direct impact on climate change. Pavestone is one of only 300 or so companies to achieve the Standard.

The Carbon Trust was established in June 2008 and certification was created to provide a much needed clear and robust definition of good practice and for use as an independent endorsement of an organisation's achievements in carbon reduction. Working with leading organisations, the trust certifies their performance in measuring, managing and reducing their greenhouse gas emissions and provides an objective benchmark against which to assess an organisation's commitment and success in addressing its climate change impact.

To read more about The Carbon Trust Standard visit the website at www.carbontruststandard.com





Ethical Trading

Pavestone has always been acutely conscious of the concerns raised through consumers' increasing awareness of the ethical issues associated with the production of natural stone products from India.

For many years we have been importing only from audited stone producers who can successfully demonstrate that their processes meet the moral and ethical codes as established by the ETI (Ethical Trading Initiative) Base Code. In doing so we have contributed to the economic success of the communities in which our stone processors work and have helped to provide a safer and more secure working environment for our supplier partners' employees.

Pavestone is committed to ensuring that the working conditions of employees in our partner supply companies meet or exceed international standards and for many years we have adopted the ETI Base Code as a base criteria for our supply chain.



The ETI Base Code

1. Employment should be freely chosen with no forced, bonded or involuntary labour.
2. Workers have the right to join or form trade unions of their own choosing and to bargain collectively.
3. A safe and healthy working environment shall be provided.
4. Child labour shall not be used.
5. Wages should always be enough to meet basic needs and to provide some discretionary income.
6. Working hours are not excessive and comply with national laws and benchmark industry standards.
7. Workers should be treated equally regardless of race, caste, national origin, religion, age, disability, gender, marital status, sexual orientation, union membership or political affiliation.
8. Regular employment for individuals should be provided where work is ongoing.
9. No harsh or inhumane treatment of workers. Physical abuse (or threat of), sexual or other harassment including verbal abuse or intimidation shall be prohibited.



Helping to provide a brighter future




Stone Trading
Ethically

Pavestone has a fundamental belief that the poor and vulnerable within the communities that produce our stone products should derive benefits from our local trading beyond the simplicity of the stone workers pay. We work closely in partnership with our suppliers to improve the quality of life, not only for those immediately employed by our supply partners but also all those living in and around their community.

Two areas we have identified with our supply partners Malbros and MP Goyal to focus on are the health and education of the communities of those involved in our supply chain. Some examples of the ongoing initiatives are listed opposite.



Malbros distribute free blankets every winter season to deprived members of the local community.

Books are also distributed freely to local schools along with supplementary school uniforms and lunches for the school children. Malbros also facilitates the provision of toilets and washroom facilities to these schools.



Hari Om Aggarsen Hospital

Located in the Rewari District, Haryana, the hospital is staffed by fully qualified doctors, nurses and administrative staff, all of whom are fully funded by the MP Goyal Group. The MPG Group have an ideology that welfare and medical treatment should be available to all, including the large under-privileged section of the society and as such the hospital offers free 'walk in' treatments in addition to free long-term medicines and continuous care. There is no discrimination based upon sex, creed, religion or caste.

The hospital is also funded to conduct weekly field clinics to include blood donation, health education, health checkups, welfare camps for women and general counselling sessions. Most often these are held at schools or village focal points in the within the district.

This visible and continued effort to improve the health of the underprivileged has built a strong relationship between the MPG Group, the corporate body, employees of the organisation and the communities in which it operates.

Education

The MPG Group recognises the importance of education and developing 'home grown' skilled people within its businesses to keep apace with India's fast growing economy. The group operates a programme of identifying 'raw talent' to sponsor so as to provide a pool of talented engineers who have the power and knowledge to adapt to new challenges. MPG Group core competencies lie in developing dynamic engineers for their many businesses, which include IT services, glass importation & installation and real estate, in addition to stone production and masonry.

Sponsored students graduating from the specialised courses and attaining recognised qualifications are not tied to the MPG Group and are often found employment in alternative industries.

...and at home

Our Corporate Social Responsibility initiatives seek to make our businesses more accountable for our actions and decisions.

We are committed to full legal compliance in all that we do and to make our business accountable to those that we directly or indirectly impact upon through the adoption of good practices. Practices include:

- Creating a safe environment and a rewarding career for all our employees.
- Holding regular local residents' open meetings to discuss our impact on their local life.
- Monitoring and managing the environmental impact of all our operations.
- Monitoring and understanding the environmental impact of our suppliers' operations.



Pavestone's Managing Director, Kevin Fowler meets some of the staff and sees the facilities for himself during a visit to the hospital.

Regal



See Pages 6-9



Regal Oasis



Regal Summit



Summit Rustic

Regal Oasis and Regal Summit Thickness 20mm

Summit Rustic Thickness 25-35mm

CONTRACTOR PACK Regal Oasis & Regal Summit

CP

Coverage* 15.75m²

750x500 Qty 22 500x500 Qty 14

700x250 Qty 12 500x250 Qty 14

62 Pieces

*Based on jointing gap of 2mm (+/-)

SINGLE SIZE CRATE Regal Oasis & Regal Summit

SS

	750x500	500x500
No./m ²	2.67	4.00
No./crate	45	45

SS

SINGLE SIZE CRATE Summit Rustic

	900x600	600x600	600x400	400x400	600x290	290x290
No./m ²	1.83	2.73	4.08	6.10	5.61	11.49

French Cremar



See Pages 10-11



French Cremar (c)

Thickness 25mm (c) = Calibrated

SS

SINGLE SIZE CRATE

900x600

No./m ²	1.83
No./crate	40

Fiorano




See Pages 14-15



Elite (c)

Thickness 20mm (c) = Calibrated



Esprit (c)

SINGLE SIZE CRATE All shades

SS

Coverage* 21.33m²

845x560 Qty 45

Coverage* 14.11m²

560x560 Qty 45

*Based on a jointing gap of 3mm (brushed silver sand)

Piazza



See Page 12



Summit (c)

Thickness 20mm (c) = Calibrated



Oasis (c)

CONTRACTOR PACK All shades

CP

Coverage* 15.75m²

750x500 Qty 22 500x500 Qty 14

750x250 Qty 12 500x250 Qty 14

62 Pieces

*Based on jointing gap of 2mm (+/-)

SS

SINGLE SIZE CRATE Summit & Oasis

	750x500	500x500
No./m ²	2.67	4.00
No./crate	45	45

! We recommend close jointing these products with silver silica sand brushed into the joints to finish. Cement mortar should not be used for close jointing.

Tudor Antique



See Pages 16-23



Priory (c)



Gothic (*)



Denby (c)



Deanery (c)



Cloister (c)



Cathedral (c)



Oxford (*)



Chapel (c)



Tithe (c)



Reformation (c)



Cambridge (c)

All shades, except Gothic & Oxford
Thickness 22mm (c) = Calibrated

Gothic & Oxford
Thickness 25-40mm
(*) = Selected to nominal 25mm



SINGLE SIZE CRATE

Oxford, 1200x600
Cathedral, 900x600.

	1200x600	900x600
No./crate	30	35

CONTRACTOR PACK All shades



Coverage* 15.00m²

900x600 Qty 13 600x290 Qty 13
600x600 Qty 13 290x290 Qty 9

48 Pieces

*Based on jointing gap of 10-14mm

Slate



See Pages 34-35



Rusty



Midnight

Thickness 18-30mm

CONTRACTOR PACK All shades



Coverage* 14.44m²

900x600 Qty 10
600x600 Qty 16
600x300 Qty 16

42 Pieces

*Based on jointing gap of 10-14mm

SINGLE SIZE CRATE Midnight only



	900x600	600x600	600x300	300x300
No./m ²	1.83	2.73	5.61	11.49
No./crate	40	40	80	160

Limestone



See Pages 36-37



Black Kadapha (c)



Kota Blue (c)



Abbey (c)

Thickness 22mm (c) = Calibrated

CONTRACTOR PACK All shades



Coverage* 15.00m²

900x600 Qty 13 600x290 Qty 13
600x600 Qty 13 290x290 Qty 9

48 Pieces

*Based on jointing gap of 5-14mm

SINGLE SIZE CRATE

Black Kadapha

Kota Blue & Abbey,
900x600 only

	900x600	600x600	600x290	290x290
No./m ²	1.83	2.73	5.61	11.49
No./crate	24	38	85	150



To maintain the Black colour of Kadapha, seal with a polymer sealant soon after installation. Tudor Antique must be laid with chamfered edges down - see page 108 for diagram.

Close joints should have silver, silica sand brushed into the joint gaps. Cement mortar should not be used for close jointing.

Classic Sandstone



See Pages 24-33

1&2



Raj Blend (ps) & (c)

1&2



Light Grey (ps) & (c)

1&2



Golden Fossil (c)

1&2



Modak (c)

1&2



Buff (c)

1&2



Heather Blend (c)

4



Sahara (c)

1&2



Old Black (c)

3



Original Raj Green (c)

Thickness 22mm (c) = Calibrated

Thickness 17-22mm (+/- 2mm) (ps) = Premium Select

*Based on jointing gap of 7-14mm



Must be laid with chamfered edges down - see page 108 for diagram.

CONTRACTOR PACK 1

Raj Blend, Lt. Grey, Golden Fossil, Modak, Buff, Heather Blend & Old Black

CP

Coverage* 20.70m²900x600 Qty 17 600x290 Qty 18
600x600 Qty 17 290x290 Qty 19

71 Pieces

CONTRACTOR PACK 2

Raj Blend, Lt. Grey, Golden Fossil, Modak, Buff, Heather Blend & Old Black

CP

Coverage* 7.20m²900x600 Qty 6 600x290 Qty 6
600x600 Qty 6 290x290 Qty 5

23 Pieces

CONTRACTOR PACK 3

Original Raj Green

CP

Coverage* 15.00m²900x600 Qty 13 600x290 Qty 13
600x600 Qty 13 290x290 Qty 9

48 Pieces

CONTRACTOR PACK 4

Sahara

CP

Coverage* 12.25m²600x600 Qty 7 450x450 Qty 13
600x450 Qty 12 290x290 Qty 10
600x290 Qty 15

57 Pieces

SINGLE SIZE CRATE

Raj Blend, Light Grey, Golden Fossil, Modak & Buff

SS

	900x600	600x600	600x290	290x290
No./m ²	1.83	2.73	5.61	11.49
No./crate	35	35	100	150

Tudor Cobble



See Pages 42-43



Cambridge



Denby



Priory



Oxford



Reformation

Thickness 30-45mm

CONTRACTOR PACK

All shades

CP

Coverage* 11.47m²400x300 Qty 41
300x200 Qty 38
200x200 Qty 57
200x150 Qty 41

177 Pieces

*Based on jointing gap of 7-14mm

As with all products, sizes and number per m² are approximate only.

Stone Setts



See Pages 44-45



Raj Blend

Fossil



Rusty

Midnight

Raj Blend & Fossil Thickness 40-70mm
Rusty & Midnight Thickness 18-22mm

MIXED SIZE CRATE Raj Blend & Fossil



Coverage* 10.6m²
200x150 Qty 150
150x150 Qty 150
100x150 Qty 150

450 Pieces

SINGLE SIZE CRATE Raj Blend & Fossil



Coverage* 8.8m²
100x100 Qty 800

800 Pieces

*Based on jointing gap of 10mm

SINGLE SIZE CRATE Rusty & Midnight



Coverage* 22.6m²
100x100 Qty 2000

2000 Pieces

Also available: Granite Setts, Grey & Black
Size 100x100mm. 700 per crate
Thickness 50mm, nominal.

Rumbled Pavers



See Pages 46-47



Modak

Barleycorn

Harvest

Lakeland

Thickness 25-40mm

MIXED SIZE CRATE Modak, Barleycorn & Harvest



Coverage* 16m²
200x150 Qty various
150x150 Qty various
100x150 Qty various

SINGLE SIZE CRATE Lakeland



Coverage* 17.66m²
150x150 Qty 735

735 Pieces

*Based on jointing gap of 10-15mm

Natural Stone Block Paving



See Pages 48-49



Woodland

Kadapha

Old Cotswold

Old York

Woodland & Kadapha Thickness 50mm
Old York & Old Cotswold Thickness 40-70mm

MIXED SIZE CRATE Woodland & Kadapha



Coverage 10.5m²
200x150 Qty 150
150x150 Qty 150
100x150 Qty 150

450 Pieces

SINGLE SIZE CRATE Old York & Old Cotswold



	290x100	215x100
No./pack	238	317
Coverage	7.37	7.32

SINGLE SIZE CRATE Kadapha



Coverage 10m²
200x100 Qty 500

500 Pieces

Manhattan



See Page 56



Black

White

SINGLE SIZE CRATE All shades

	800x400	600x600
No./m ²	3.13	2.78
No./crate	52	26

M-COAT
PROTECTION

Thickness 40mm



Kera Linea



See Page 58



Natural Beige

Pearl Grey

SINGLE SIZE CRATE All shades

	800x400	600x600	400x400
No./m ²	3.13	2.78	6.25
No./crate	52	26	120

M-COAT
PROTECTION

Thickness 40mm



Sable



See Page 60-61



Apollo

Calisto

Diana

Klio

Thickness 35mm

SINGLE SIZE CRATE All shades

	600x600	400x400
No./m ²	2.78	6.25
No./crate	26	120



We recommend close jointing these products with silver silica sand brushed into the joints to finish. Cement mortar should not be used for close jointing.



Provencal



See Pages 62-63



Crème

Thickness 30mm



SINGLE SIZE CRATE

	600x400
No./m ²	3.12
No./crate	30

Provencal Ellipse



See Pages 72



OVAL KIT

	Complete Feature
Size (mm)	2250x3000
No. of pieces	26

Thickness 30mm

Tanners Mill & Garonne Abbey



See Pages 64-65



Grey-green

Thickness 30mm



Cream

Thickness 40mm

CONTRACTOR PACK Both products

CP

Coverage* 9.00m²

600x600 Qty 10	600x300 Qty 12
600x450 Qty 10	300x300 Qty 8

40 Pieces *Based on jointing gap of 5mm

SS

SINGLE SIZE CRATE Both products

	600x600	600x450	600x300	300x300
No./m ²	2.73	3.66	5.61	11.50



Old Gold



Stone



Grey

Thickness 38mm +/-

CONTRACTOR PACK All shades



Coverage* 9.0m²

600x600 Qty 18

600x300 Qty 10

300x300 Qty 8

36 Pieces


*Based on jointing gap of 10-15mm

SINGLE SIZE CRATE All shades




	600x600	600x300	300x300
m ² /pack	9	9	9
No./pack	25	50	100


Burford Duo



Red



Grey



Cotswold

Thickness 40mm (610x610)
30mm (458x458)

SINGLE SIZE CRATE All shades

	610x610	458x458
No./m ²	2.64	4.66
No./pallet	25	30
m ² /pallet	9.15	6.21

Edgings



End

Straight



Yorkstone

Grey-Green



Charcoal



Red

Cobblestone Edging

SINGLE SIZE CRATE	All shades	
	Straight	End
	445x270	270x270
No./pack	40	6

Thickness 44mm +/-

Mill Edging

SINGLE SIZE CRATE	All shades
	570x150x50
No./pack	40

Ropetop Edging

SINGLE SIZE CRATE	All shades	
	Edging	Post
	570x150x50	240x60x60
No./pack	40	24


As with all products, sizes and number per m² are approximate only.

WARNING
Never use Rock Salt or De-Icing Salts on concrete paving. Salt corrodes and destroys all concrete through a chemical reaction and in addition will exaggerate the natural freeze thaw cycles that erode the surface of concrete.

Sandstone Circles



See Pages 38-39



Buff

Raj Blend

Fossil

Modak

Oxford*

Thickness 30-45mm


CIRCLE KITS

Buff, Raj Blend, Fossil, Modak & Oxford*

	Total Pieces	Centre Ø	Ring 1 Ø	Ring 2 Ø	Ring 3 Ø	Squaring off kit
Large (3)	41	600	1500	2400	3300	3600 ²
Medium (2)	25	600	1500	2400	-	2700 ²
Small (1)	9	600	1500	-	-	1800 ²
No. of pieces	-	1	8	16	16	-

* Oxford is available only in a 2400mm circle with 2700mm squaring off kit.

Circles are supplied as a complete kit and may also be purchased as individual rings. The information per ring is for measurement guidance only and is approximate. Corner sets are purchased separately.



∅ = diameter



The correct way to lay circles is to work from the inside outwards. As with any of our natural stone range, we recommend that the product is laid and tamped down on a firm mortar bed.

Sandstone Feature Circles



See Page 40



Sun Circle

CIRCLE KIT

Raj Blend

	Full Circle Ø	Including Squaring off kit
Size (mm)	2400	2700 ²
No. of pieces	31	-

Thickness 30-45mm



Catherine Wheel

CIRCLE KIT

Raj Blend

	Full Circle Ø	Including Squaring off kit
Size (mm)	2400	2700 ²
No. of pieces	17	-



Mystic Feature

CIRCLE KIT

Raj Blend

	Complete Feature
Size (mm)	2700 ²
No. of pieces	41




As with all products, sizes and number per m² are approximate only.

Slate Circles



See Page 41



Rusty



Midnight

Thickness 18-30mm



Standard

Standard

CIRCLE KIT	Rusty & Midnight
Size (mm)	2700 ²
No. of pieces	57

Lutyens

CIRCLE KIT	Rusty & Midnight
Size (mm)	1800 ²
No. of pieces	13



Lutyens

Dry Fell Walling



See
Page 83



Fossil



Raj Blend

	200x150	150x150	150x100
No./pack	150	150	150

Thickness 40-70mm

One pack covers 3.83 face metres

Cottage Walling



See
Page 82



Cotswold



York

	50/70x290x100	50/70x215x100
No./m ²	48	63
No./pack	238	317
Face m ² /pack	5	5

Natural Stone Coping/Edging



See
Page 83



Fossil

Raj Blend

	40x600x150	40x600x280
Linear m/pack	90	48
No./pack	150	80
No per metre	1.66	1.66

Burford Walling



See
Page 86-87



Buff Black



Buff Brown



Golden Buff



Grey



Ironstone



Lothian Red



Natural Light
Weathered



Oolite Cream



Yate Grey



Sandown Green

	65x215x100	65x290x100	140x290x100
No./m ²	56	43	22
No./pack	415	309	153
Face m ² /pack	7.44	7.30	7.23

Coping & Pier Caps



See
Page 89



Off White



Cotswold

	Coping		Pier Caps	
	600x140	600x280	280x280	380x380
Wt/item	7kg	16kg	7kg	14kg
Pack wt	400kg	440kg	340kg	340kg
No./pack	50	25	30	15

Pavesett Block Paving



See Pages 74-76



Sand

Autumn Brown

Ochre Grey


Brindle

Charcoal

Sunset Rouge

SINGLE SIZE CRATE	All shades		
	200x150	150x150	100x150
No./m ²	33.33	44.44	66.66
No./pack	384	512	768
m ² /pack	11.52	11.52	11.52

Thickness 50mm



WARNING

Never use Rock Salt or De-Icing Salts on concrete paving. Salt corrodes and destroys all concrete through a chemical reaction and in addition will exaggerate the natural freeze thaw cycles that erode the surface of concrete.

Slimsett Block Paving



See Pages 78-79



Brindle


Camargue

Anthracite

Thickness 50/60mm

SINGLE SIZE CRATE	All shades	
	200x50	200x60
No./m ²	100	83
No./pack	1008	1008
m ² /pack	10.8	12.09

Slimsetts can be laid either at a 50mm or 60mm depth depending on pattern preference.



Brindle



Camargue



Anthracite

Cobblesett



See Page 77



Oceania

Sunset Rouge

Harlequin

Thickness 60mm

SINGLE SIZE CRATE All shades

SS

Coverage per pack 10.70m²

Number per m² 44.44m

150x150x60 Qty 476

476 Pieces

Rumbled Kerbstone & Corners




See Page 75



Brindle

Charcoal

SINGLE SIZE CRATE	All shades	
	100x140x140	
Linear m/pack	28.8	
No./pack	288	
No./ Linear m	10	



Bullnose view

Chamfered view

Moodul Walling



See Page 84-85

Walling block



Grey



Black

Thickness 90mm

Cover stone



Grey



Black


Thickness 75mm

SINGLE SIZE CRATE	All shades	
	600x300x90	600x300x75
No./crate	32	48
No./ Linear m	-	1.67
No per m ² (face)	18.5	-

Crosswood



See Pages 50-51



Buff

Cinder

Thickness 20mm




SINGLE SIZE PACK	All shades	
	1200x300	
No./1.2m ²	4	
No./pack	32	
m ² /pack	11.52	

Slate Stack Cladding



See Page 88



Rusty

Blue-black

	240x75	390x75
Face m ² /pack	55.56	34.16

Thickness 17-25mm

Slate Stack Cladding can be ordered specifically to the quantities required. If in doubt please contact us to calculate your requirement. Complementary Slate coping can be supplied to add the finishing touch.

Dolomite



See Page 52



Sunset

Dark

Moon

Grey

Dust

White

Thickness 20mm



SINGLE SIZE PACK	All shades	
	1000x500	
No./m ²	2	
No./pack	48	
m ² /pack	24	



Please note: A slurry primer is needed to be applied to the reverse side of each porcelain tile during the laying process. See page 109.



See Page 53



Grigia

Sun

Hazel

Mirum

Thickness 20mm

SINGLE SIZE PACK All shades



603x603	
No./m ²	2.75
No./pack	64
m ² /pack	23.27

Simply Porcelain



See Page



Beige

Anthracite

Thickness 20mm

SINGLE SIZE PACK All shades



600x600	
No./m ²	2.78
No./pack	64
m ² /pack	23.02

 Please note: A slurry primer is needed to be applied to the reverse side of each porcelain tile during the laying process. See page 109.

Bullnose Steps/ Edging



See Page 9

SINGLE SIZE CRATE Summit & York

	Bullnosed: 1 long edge 600x400	External corner 400x400	Internal corner 600x600	Edgings, 1 long edge 600x150
	Wt/item	25.7kg	17.7kg	41kg
Crate wt	900kg	620kg	900kg	750kg
No./pack	35	35	22	100
No./Linear m	1.66	-	-	1.66

Shotblasted surface and calibrated bottom.

Thickness: Edgings 30mm, Treads 40mm



note chamfered edges



Chamfered edges

Hand split natural stone paving usually has chamfered edges. Always lay the stone with the chamfered edges down.



As with all natural stone, occasionally white bloom or brown rust-like markings can appear on the face of the paving some weeks after installation. These markings occur when mineral deposits at the surface react with rainwater to create a 'blooming effect'. The blemishes can be quite easily removed with a proprietary cleaner. For specific advice on cleaning your patio, if these blemishes appear, please email Pavestone - enquiries@pavestone.co.uk



As with all products, sizes and number per m² are approximate only.

General Information

Dimensions

All dimensions quoted for natural stone are nominal and as most are hand cut, they will be subject to tolerances. The area coverage quoted in the brochure includes the appropriate joint widths to enable the correct amount of product to be purchased to cover a given area. Where space is critical and particularly when a circle or feature kit is being incorporated into a design, it is essential that the product is dry laid in order to understand the gaps required to make the feature work. Retrospective correction of gaps once a job is underway is not always possible. Basic laying patterns with joint widths are available upon request from Pavestone. We reserve the right to change dimensions and pack sizes without notice.

Colours

Our reconstituted stone and concrete products contain natural aggregates and pigments and are manufactured in production batches. This means we cannot guarantee that products from different batches will have identical colouration. It is therefore advisable, when using several packs of the same product on a project, that product is used randomly from all of the packs to achieve an overall blended appearance. Variations in colour and shading will occur in natural stone paving. The swatches reproduced in this brochure are as accurate as reprographic processes allow and are indications of the overall hue produced by the variety of colour variations in the given product. It is essential that you view the actual product at your stockist prior to purchasing. It is also advisable that when the chosen product is delivered to your site, that you inspect it to deem it suitable prior to installation. When laying multiple packs of natural stone paving, care should be taken to ensure that product is drawn equally from all of the available packs as the project progresses rather than one pack at a time. This eliminates odd patches of colours and will give a seamless and more natural blend to the finished project.

Maintenance

Pressure washing is not recommended as it will damage the jointing and the face of concrete paving. We only recommend Lithofin® cleaning products and we are happy to advise on the use of these if warm soapy water and a stiff broom fails to satisfy. Specific spillages of strong coloured liquids should be wiped off the paving immediately with a damp cloth to prevent any permanent damage.

Warranties

In the unlikely event of our products reaching you in a less than satisfactory condition, please notify your supplier immediately who will be happy to organise replacement product. Please note that if a product is knowingly laid with a defect apparent prior to laying then we reserve the right not to replace the product and will not accept any responsibility for costs incurred to rectify.

Defects affecting the product functionality that appear, within one year of purchase, will be corrected by way of replacement product and may or may not include some assistance to rectify depending on the circumstances. No consequential losses will be accepted.

M-Coat® paving is guaranteed for 10 years, from the date of purchase, not to be damaged by frost or to suffer from efflorescence staining. Given normal domestic garden conditions M-Coat® paving will resist staining from most naturally occurring phenomena. Specific spillages should be wiped off the paving immediately with a damp cloth to prevent permanent damage. The guarantee on M-Coat® paving is limited to the replacement cost of the defective product only and does not extend to financial reimbursement to cover the installation works or any problems associated with installation.

M-Coat® paving must not be pressure washed to clean it, nor subjected to deicing salts or chemical treatments or patio sealants of any kind as these will invalidate the warranty.

All products have CE certification and comply with the necessary product characteristics and requirements within the United Kingdom and European Union.

Sealing

Pavestone only recommends Lithofin® sealers, used in accordance with the manufacturers instructions.

Porcelain Paving

Porcelain Paving needs to be laid on a sub base and full mortar bed like natural stone paving. However, and very importantly, a slurry primer is needed to be applied to the reverse of each tile prior to laying to facilitate full adhesion. Without this coating, adhesion of the tile may fail. For full instructions please visit our website:

<http://www.pavestone.co.uk/technical-detail/laying-instructions/>

Summary

Do

- View samples prior to purchasing.
- Buy 5% extra to allow for cuts and breakages.
- Buy paving from one batch if possible.
- Inspect paving prior to laying.
- Dry lay paving where dimensional accuracy is critical.
- Always mix paving from a number of packs to assist colour blending.
- Lay on a full mortar bed. Never spot bed paving.
- Keep paving clean as you point, wiping away cementitious spillage.
- Use only recommended Lithofin® products to clean and seal your paving and always adhere to the manufacturers instructions.

Don't

- Butt paving flags together as this will not allow for dimensional tolerances or expansion and contraction of the paving which could cause spalling.
- Use acid to clean paving.
- Seal paving for at least 3 months after laying to allow the site and paving to fully dry out.

Note

Product ranges, colours and sizes available are correct at the time of going to print. Pavestone reserves the right to alter its offering at any time, without prior notification.

For more information, inspiration and product updates visit our website, follow us on twitter or find us on facebook.

www.pavestone.co.uk

 @pavestone

 Pavestoneuk

 pavestone.uk.limited

Acknowledgements

Brochure design:

Think Creative 01527 888988

Brochure artwork & print production:

Intaglio 01491 681650



Brochure printed in the UK using material from sustainable forests.



Indoors



Outdoors



Natural



Handmade



Fettled Edge



Straight Edge



Tumbled Finish



Honed Finish



Textured Finish



Contractor Pack



Single Sizes



Mixed Size Crate

Suitability

Material

Finish

Technical

LAWSONS

'Family Values - Professional Service'

1 Colney Heath

Tythenhanger Farm, Coursers Road,
Colney Heath, Herts, AL4 0PG
Tel: 01727 747320 Fax: 01727 747329
Monday to Friday - 6.00am to 4.45pm
Saturday - 8.00am to 12.45pm

2 Whetstone

1208 High Road, Whetstone,
London, N20 0LL
Tel: 020 8446 1321 Fax: 020 8446 2509
Monday to Friday - 6.30am to 4.45pm
Saturday - 8.00am to 12.45pm

3 Edgware

301 Burnt Oak Broadway, Edgware,
Middlesex, HA8 5ED
Tel: 020 8952 0111 Fax: 020 8951 3234
Monday to Friday - 8.00am to 4.45pm
Saturday - 8.00am to 12.45pm

4 Edmonton

401 Montagu Road,
Edmonton, London, N9 0HP
Tel: 020 8803 6922 Fax: 020 8884 3876
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

5 Acton

2/4 Colville Road, Acton
London, W3 8BL
Tel: 020 8992 1177
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

6 Camden Town

53 Blundell Street, Camden Town,
London, N7 9BN
Tel: 020 7619 6470 Fax: 020 7619 6471
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.30pm


7 Romford

164 Collier Row Road, Romford,
Essex, RM5 2BD
Tel: 01708 767716 Fax: 01708 746354
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

8 Wandsworth

20 Smugglers Way, Wandsworth,
London, SW18 1EQ
Tel: 020 8871 1188 Fax: 020 8874 5769
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

Branches



9 New Malden

Unit 16, Adams Industrial Estate,
St John's Road, New Malden, KT3 3SQ
Tel: 020 8336 1188 Fax: 020 8336 2196
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

10 Coulsdon

Woodcote Grove Road, Coulsdon,
Surrey, CR5 2AG
Tel: 020 8660 0807 Fax: 020 8668 4847
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

11 Redhill

58 Holmethorpe Avenue, Redhill,
Surrey, RH1 2NL
Tel: 01737 766884 Fax: 01737 767330
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

12 Salfords

Bonehurst Road, Salfords,
Surrey, RH6 8PP
Tel: 01293 784459 Fax: 01293 784814
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

13 Crawley

Telford Place, Crawley,
West Sussex, RH10 1SY
Tel: 01293 535054 Fax: 01293 535700
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

CROWTHORNE

14 CROWTHORNE Ascot

Englemere Sawmill, London
Road, Ascot, Berkshire, SL5 8DG
Tel: 01344 885451 Fax: 01344 893101
Monday to Friday - 7.00am to 5.00pm
Saturday - 8.00am to 12.00pm

15 CROWTHORNE Bedford

Cambridge Road, Bedford, MK42 0LH
Tel: 01234 273077 Fax: 01234 217130
Monday to Friday - 7.00am to 4.45pm
Saturday - 8.00am to 12.45pm

www.lawsons.co.uk

info@lawsons.co.uk